

L Number	Hits	Search Text	DB	Time stamp
1	2	"20020077769"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 12:01
4	45532	CAD or computer adj1 aid\$4 adj1 design	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 12:04
9	1776	align\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 12:14
10	3	align\$6 adj2 point	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 12:14
11	14152	align\$6 adj2 point	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 12:14
12	1826985	align\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 12:14
13	1827532	align\$6 or align\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 12:21
14	14155	(align\$6 adj2 point) or (align\$6 adj2 point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 12:22
17	1052216	registratin or comparison	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:44
20	3427182	@ad>20000823 not (contin\$6 or provision\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:23

23	912412	transform\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:27
28	34556	(nominal or designed) with (actual or measured)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:20
29	1	(nominal or designed) adj2 description with (actual or measured) adj2 description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:39
30	32315	((nominal or designed) with (actual or measured)) not (@ad>20000823 not (contin\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:39
31	563	((nominal or designed) with (actual or measured)) not (@ad>20000823 not (contin\$6 or provision\$4))) and (CAD or computer adj1 aid\$4 adj1 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:40
32	9154	((nominal or designed) with (actual or measured)) not (@ad>20000823 not (contin\$6 or provision\$4))) and (align\$6 or align\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:41
33	185	((nominal or designed) with (actual or measured)) not (@ad>20000823 not (contin\$6 or provision\$4))) and ((align\$6 adj2 point) or (align\$6 adj2 point))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:41
34	10446	((nominal or designed) with (actual or measured)) not (@ad>20000823 not (contin\$6 or provision\$4))) and (registratin or comparison)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:41
35	6499	((nominal or designed) with (actual or measured)) not (@ad>20000823 not (contin\$6 or provision\$4))) and transform\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:40
36	89	((nominal or designed) with (actual or measured)) not (@ad>20000823 not (contin\$6 or provision\$4))) same (CAD or computer adj1 aid\$4 adj1 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:40

37	1223	(((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) same (align\$6 or align\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:41
38	18	(((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) same ((align\$6 adj2 point) or (align\$6 adj2 point))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:41
39	1754	(((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) same (registratin or comparison)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:42
40	1223	(((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) same (align\$6 or align\$6)) or ((((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) same ((align\$6 adj2 point) or (align\$6 adj2 point)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:42
41	3	(((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) same (CAD or computer adj1 aid\$4 adj1 design)) and ((((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) same (registratin or comparison)) and ((((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) same (align\$6 or align\$6)) or ((((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) same ((align\$6 adj2 point) or (align\$6 adj2 point))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:43
42	88	(((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) and (CAD or computer adj1 aid\$4 adj1 design)) and ((((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) and (align\$6 or align\$6)) or ((((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) and ((align\$6 adj2 point) or (align\$6 adj2 point))) and ((((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) and (registratin or comparison)) and ((((nominal or designed) with (actual or measured)) not (@ad>20000823 not (continu\$6 or provision\$4))) and transform\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 13:44
43	24406	transform\$6 with (actual or measured)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:28
44	148	(nominal or designed) with inverse adj3 transform\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:21
45	12	(transform\$6 with (actual or measured)) and ((nominal or designed) with inverse adj3 transform\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:26

46	1827532	((align\$6 or align\$6) or ((align\$6 adj2 point) or (align\$6 adj2 point)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:27
47	43	((nominal or designed) with inverse adj3 transform\$6) and ((align\$6 or align\$6) or ((align\$6 adj2 point) or (align\$6 adj2 point)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:28
48	503	inverse adj3 transform\$6 with (actual or measured)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:52
49	129	((inverse adj3 transform\$6 with (actual or measured)) and ((align\$6 or align\$6) or ((align\$6 adj2 point) or (align\$6 adj2 point))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:29
50	9	(registratin or comparison) and (((nominal or designed) with inverse adj3 transform\$6) and ((align\$6 or align\$6) or ((align\$6 adj2 point) or (align\$6 adj2 point)))) not (@ad>20000823 not (contin\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:45
51	73	(registratin or comparison) and (((inverse adj3 transform\$6 with (actual or measured)) and ((align\$6 or align\$6) or ((align\$6 adj2 point) or (align\$6 adj2 point)))) not (@ad>20000823 not (contin\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:45
52	214857	registration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:45
53	4	registration and (((nominal or designed) with inverse adj3 transform\$6) and ((align\$6 or align\$6) or ((align\$6 adj2 point) or (align\$6 adj2 point)))) not (@ad>20000823 not (contin\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:46
54	9	registration and (((inverse adj3 transform\$6 with (actual or measured)) and ((align\$6 or align\$6) or ((align\$6 adj2 point) or (align\$6 adj2 point)))) not (@ad>20000823 not (contin\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:47
55	26	inverse adj3 transform\$6 same object same (register\$6 or registration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 14:54

56	29	inverse adj3 transform\$6 same object same (align\$6 or align\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 15:04
65	277	(CAD or computer adj1 aid\$4 adj1 design) and (align\$6 adj2 point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 16:09
66	6336	overmeasur\$4 or oversampl\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 16:09
67	0	((CAD or computer adj1 aid\$4 adj1 design) and (align\$6 adj2 point)) and (overmeasur\$4 or oversampl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 16:11
68	695	overdetermin\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 16:10
69	1	((CAD or computer adj1 aid\$4 adj1 design) and (align\$6 adj2 point)) and overdetermin\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 16:11
63	9	coordinate adj1 measur\$4 adj1 instrument adj1 measurement	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 16:11
64	28	design adj1 coordinate same (measur\$4 or work\$4) adj1 coordinate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 16:15
70	43	design adj1 coordinate same (measur\$4 or workpiece) adj4 coordinate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 16:19
71	4	((CAD or computer adj1 aid\$4 adj1 design) or (align\$6 adj2 point)) and ((design adj1 coordinate same (measur\$4 or work\$4) adj1 coordinate) or (design adj1 coordinate same (measur\$4 or workpiece) adj4 coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/09/21 16:19